



# Design and Implementation of Efficient Multiplier Architectures

K.R.PRIYA DHARSHINI<sup>1</sup> S.VISHU KUMAR<sup>2</sup> Mr. S.SARAVANAN<sup>3</sup>

<sup>1</sup>PG Student, M.E (VLSI), Jansons Institute of Technology, Coimbatore-641659

<sup>2</sup>Assistant Professor/Department of ECE, Jansons Institute of Technology, Coimbatore-641659

**Abstract:** The main purpose of the project is to improve the speed of the digital circuits like multiplier since adder and multiplier are one of the key hardware components in high performance systems such as microprocessors, digital signal processors and FIR filters etc. Hence we always try for efficient multiplier architecture to increase the efficiency and performance of a system. The efficiency of the multiplier can be improved by applying Vedic sutras. This 'Vedic Mathematics' is the name given to the ancient system of mathematics or, to be precise, a unique mathematical problem can done with the help of arithmetic, algebra, geometry or trigonometry can be solved. Multiplication plays an important role in the processors. It is one of the basic arithmetic operations and it requires more hardware resources and processing time than the other arithmetic operations. Vedic mathematic is the ancient Indian system of mathematic. It has a unique technique of calculations based on 16 Sutras. The multiplication sutra between these 16 sutras is the UrdhvaTiryakbhyam sutra which means vertical and crosswise. In this project high speed, low power 2x2 and 4x4 multipliers are designed and corresponding layout is generated using Microwind Version 3.1.

**Keywords:** Multiply and Accumulate (MAC), Computation- Intensive Arithmetic Functions (CIAF), Digital Signal Processing (DSP), Fast Fourier Transform (FFT), Complementary Metal Oxide Semiconductor (CMOS), Arithmetic and Logic Unit (ALU), Binary Coded Decimal (BCD), Discrete Cosine Transform (DCT)

## I. INTRODUCTION

Multiplication is an important fundamental function in arithmetic operations. Multiplication-based operations such as Multiply and Accumulate (MAC) and inner product are among some of the frequently used Computation- Intensive Arithmetic Functions(CIAF) currently implemented in many Digital Signal Processing (DSP) applications such as convolution, Fast Fourier Transform (FFT), filtering and in microprocessors in its arithmetic and logic unit. Since multiplication dominates the execution time of most DSP algorithms, so there is a need of high speed multiplier. Currently, multiplication time is still the dominant factor in determining the instruction cycle time of a DSP chip.

The demand for high speed processing has been increasing as a result of expanding computer and signal processing applications. Higher throughput

arithmetic operations are important to achieve the desired performance in many real-time signal and image processing applications. One of the key arithmetic operations in such applications is multiplication and the development of fast multiplier circuit has been a subject of interest over decades. Reducing the time delay and power consumption are very essential requirements for many applications. This work presents different multiplier architectures. Multiplier based on Vedic Mathematics is one of the fast and low power multiplier.

Minimizing power consumption for digital systems involves optimization at all levels of the design. This optimization includes the technology used to implement the digital circuits, the circuit style and topology, the architecture for implementing the circuits and at the highest level the algorithms that are being implemented. Digital multipliers are the most commonly used components in any digital circuit design. They are fast, reliable and efficient components that are utilized to implement any operation. Depending upon the



arrangement of the components, there are different types of multipliers available. Particular multiplier architecture is chosen based on the application.

In many DSP algorithms, the multiplier lies in the critical delay path and ultimately determines the performance of algorithm. The speed of multiplication operation is of great importance in DSP as well as in general processor. In the past multiplication was implemented generally with a sequence of addition, subtraction and shift operations. There have been many algorithms proposals in literature to perform multiplication, each offering different advantages and having tradeoff in terms of speed, circuit complexity, area and power consumption. The multiplier is a fairly large block of a computing system. The amount of circuitry involved is directly proportional to the square of its resolution i.e. A multiplier of size  $n$  bits has  $n^2$  gates. For multiplication algorithms performed in DSP applications latency and throughput are the two major concerns from delay perspective.

Latency is the real delay of computing a function, a measure of how long the inputs to a device are stable is the final result available on outputs. Throughput is the measure of how many multiplications can be performed in a given period of time; multiplier is not only a high delay block but also a major source of power dissipation. That's why if one also aims to minimize power consumption, it is of great interest to reduce the delay by using various delay optimizations.

Digital multipliers are the core components of all the digital signal processors (DSPs) and the speed of the DSP is largely determined by the speed of its multipliers. Two most common multiplication algorithms followed in the digital hardware are array multiplication algorithm and Booth multiplication algorithm. The computation time taken by the array multiplier is comparatively less because the partial products are calculated independently in parallel. The delay associated with the array multiplier is the time taken by the signals to propagate through the gates that form the multiplication array. Booth multiplication is another important multiplication algorithm. Large booth arrays are required for high speed multiplication and exponential operations which in turn require large

partial sum and partial carry registers. Multiplication of two  $n$ -bit operands using a radix-4 booth recording multiplier requires approximately  $n / (2m)$  clock cycles to generate the least significant half of the final product, where  $m$  is the number of Booth recorder adder stages. Thus, a large propagation delay is associated with this case. Due to the importance of digital multipliers in DSP, it has always been an active area of research and a number of interesting multiplication algorithms have been reported in the literature.

In this, Urdhva tiryakbhyam Sutra is first applied to the binary number system and is used to develop digital multiplier architecture. This is shown to be very similar to the popular array multiplier architecture. This Sutra also shows the effectiveness of to reduce the  $N \times N$  multiplier structure into an efficient  $4 \times 4$  multiplier structures. Nikhilam Sutra is then discussed and is shown to be much more efficient in the multiplication of large numbers as it reduces the multiplication of two large numbers to that of two smaller ones. The multiplication algorithm is then illustrated to show its computational efficiency by taking an example of reducing a  $4 \times 4$ -bit multiplication to a single  $2 \times 2$ -bit multiplication operation. This work presents a systematic design methodology for fast and area efficient digit multiplier based on Vedic mathematics. The Multiplier Architecture is based on the Vertical and Crosswise algorithm of ancient Indian Vedic Mathematics.

Multiplication is the most important arithmetic operation in signal processing applications and inside the Processor. As speed is always a major requirement in the multiplication operation, increase in speed can be achieved by reducing the number of steps in the computation process. The speed of multiplier determines the efficiency of such a system. In any system design, the three main constraints which determine the performance of the system are speed, area and power requirement. Vedic mathematics was reconstructed from the ancient Indian scriptures (Vedas) by Swami Bharati Krishna Tirthaji Maharaja (1884-1960) after his eight years of research on Vedas. Vedic mathematics is mainly based on sixteen principles or word-formulae which are termed as sutras. This is a very interesting field and presents some effective algorithms which can be applied to various branches of engineering such as



computing and digital signal processing. Integrating multiplication with Vedic Mathematics techniques would result in the saving of computational time.

Multiplication is an important arithmetic operations which is used frequently in hardware level in digital filtering where currently implementations applied in many Digital Signal Processing (DSP) applications such as convolution, Fast Fourier Transform (FFT), filtering and in microprocessors in its arithmetic and logic unit. Since multiplication dominates the execution time of most DSP algorithms and also they are required many in numbers than the other hardware component, so there is a need of high speed multiplier to increase the speed of the multiplier. Still, multiplication time of the hardware multiplier is the important factor in determining the instruction cycle time of a DSP chip. The demand for high speed DSP has been increasing as a result of expanding computer and signal processing applications. Arithmetic operations like multiplication are important to achieve the desired performance in many real-time digital signal and image processing applications. The development of fast multiplier circuits has been a subject of interest from two decades. Reducing the time delay and power consumption are very essential requirements for any digital applications as they mostly works on battery. This analysis gives different Vedic multiplier architectures with karatsuba algorithm.

Multipliers based on Vedic Multiplication are one of the fast and low power multipliers. Minimizing power consumption for digital systems involves optimization at all levels of the design and in Vedic multiplication this is achieved due to less steps to solve the multiplication than the traditional multiplication. This optimization includes the technology used to implement the digital circuits requirements are circuit style, topology, and the architecture for implementing the circuits and at the highest level the algorithms. In Digital designs multipliers are the most commonly used components. They are fast, mostly used and efficient components that are utilized to implement many operations. Depending upon the algorithms of the components, there are so many types of multipliers available. Particular multiplier architecture is selected based on the desired application. In many DSP algorithms, the multipliers are in the critical delay path and ultimately determine the overall algorithm performance. The speed of multiplication operation is of great importance in DSP as well as in general processor.

#### **A. Vedic Mathematics**

Vedic mathematics is part of four Vedas (books of wisdom). It is part of Sthapatya- Veda (book on civil engineering and architecture), which is an upa-veda (supplement) of Atharva Veda. It gives explanation of several mathematical terms including arithmetic, geometry (plane, co-ordinate), trigonometry, quadratic equations, factorization and even calculus. His Holiness Jagadguru Shankaracharya Bharati Krishna Teerthaji Maharaja (1884- 1960) comprised all this work together and gave its mathematical explanation while discussing it for various applications. Swamiji constructed 16 sutras (formulae) and 16 Upa sutras (sub formulae) after extensive research in Atharva Veda. Obviously these formulae are not to be found in present text of Atharva Veda because these formulae were constructed by Swamiji himself. Vedic mathematics is not only a mathematical wonder but also it is logical. That's why it has such a degree of eminence which cannot be disapproved. Due these phenomenal characteristics, Vedic maths has already crossed the boundaries of India and has become an interesting topic of research abroad. Vedic maths deals with several basic as well as complex mathematical operations. Especially, methods of basic arithmetic are extremely simple and powerful. The word "Vedic" is derived from the word "Veda" which means the store-house of all knowledge. Vedic mathematics is mainly based on 16 Sutras (or aphorisms) dealing with various branches of mathematics like arithmetic, algebra, geometry etc[15]. These Sutras along with their brief meanings are enlisted below alphabetically.

#### **B. Vedic multiplication Sutras**

The 16 Vedic multiplication Sutras along with their brief meanings are enlisted below alphabetically.

1. Ekadhikina Purvena – In this method we have to find one more than the previous sequence.
2. Ekanyunena Purvena – In this method we have to find one less than the previous sequence.
3. (Anurupye) Shunyamanyat – If one multiplicand is in the ratio, the other is zero.
4. Chalana-Kalanabyham – multiplication is found by the Differences and Similarities between multiplier and multiplicand.



5. Gunakasamuchyah – in these method factors of the sum is equal to the sum of the factors.
6. Gunitasamuchyah – in this method product of the sum is equal to the sum of the product.
7. Paraavartya Yojayet – multiplication is found by the Transpose and adjuts.
8. Puranapurabyham – multiplication is found by the completion or noncompletion.
9. Nikhilam Navatashcaramam Dashatah – – in this method product of all from 9 and last from
10. Sankalana- vyavakalanabhyam – multiplication is found by the addition and by subtraction.
11. Sopaantyadvayamantya – multiplication is found by the ultimate and twice the penultimate.
12. Urdhva-tiryagbhyam – multiplication is found by the vertically and crosswise.
13. Shesanyakena Charamena – multiplication is found by the remainders by the last digit.
14. Shunyam Saamyasamuccaye – When the sum is the same that sum is zero.
15. Vyashtisamanstih – multiplication is found by the Part and Whole.
16. Yaavadunam – multiplication is found by whatever the extent of its deficiency.

These sutras can be used in various trigonometric as well as the geometric problems in mathematics effectively. These Sutras were reconstructed from ancient Vedic texts. Many Sub-sutras were also discovered till now which gives its distinctive advantages, which are not discussed here. The advantage of Vedic mathematics lies in the fact that it reduces the otherwise complex calculations in conventional mathematics to a very simple one. This is so because the Vedic sutras are claimed to be based on the natural principles on which the human brain works. This is a very remarkable field and presents some effective algorithms which can be applied to various branches of engineering such as computing, digital signal processing and digital image processing. The multiplier architectures can be broadly classified into three categories. First one is the serial multiplier which emphasizes on hardware and minimum amount of chip area. Second is parallel multiplier (array and tree) which carries out high speed mathematical operations where the drawback is the relatively larger chip area utilization. Third one is serial- parallel multiplier which serves as a good trade-off between the times consuming serial multiplier and the area consuming parallel multipliers.

### C. Brief description of Sutras

1. (Anurupye) Shunyamanyat – If one is in ratio, the other is zero.
2. Chalana-Kalanabyham – Differences and Similarities.
3. Ekadhikina Purvena – By one more than the previous One.
4. Ekanyunena Purvena – By one less than the previous one.
5. Gunakasamuchyah – The factors of the sum is equal to the sum of the factors.
6. Gunitasamuchyah – The product of the sum is equal to the sum of the product.
7. Nikhilam Navatashcaramam Dashatah – All from 9 and last from 10.
8. Paraavartya Yojayet – Transpose and adjust.
9. Puranapurabyham – By the completion or noncompletion.
10. Sankalana- vyavakalanabhyam – By addition and by subtraction.
11. Shesanyakena Charamena – The remainders by the last digit.
12. Shunyam Saamyasamuccaye – When the sum is the same that sum is zero.
13. Sopaantyadvayamantya – The ultimate and twice the penultimate.
14. Urdhva-tiryagbhyam – Vertically and crosswise.
15. Vyashtisamanstih – Part and Whole.
16. Yaavadunam – Whatever the extent of its deficiency.

These methods and ideas can be directly applied to trigonometry, plain and spherical geometry, conics, calculus (both differential and integral), and applied mathematics of various kinds. As mentioned earlier, all these Sutras were reconstructed from ancient Vedic texts early in the last century. Many Sub-sutras were also discovered at the same time, which are not discussed here. The beauty of Vedic mathematics lies in the fact that it reduces the otherwise cumbersome-looking calculations in conventional mathematics to a very simple one. This is so because the Vedic formulae are claimed to be based on the natural principles on which the human mind works. This is a very interesting field and presents some effective algorithms which can be applied to various branches of engineering such as



computing and digital signal processing. The multiplier architecture can be generally classified into three categories. First is the serial multiplier which emphasizes on hardware and minimum amount of chip area. Second is parallel multiplier (array and tree) which carries out high speed mathematical operations. But the drawback is the relatively larger chip area consumption. Third is serial-parallel multiplier which serves as a good trade-off between the times consuming serial multiplier and the area consuming parallel multipliers.

## II. DESIGN OF VEDIC MULTIPLIER

The Vedic multiplication hardware model basic structure is shown in figure 2.1. The below figure 2.2 show the line diagram of Urdhva tiryakbhyam. This is the another method of Urdhva tiryakbhyam to perform multiplication. This method is mostly use in most of the implementation of processors.




Figure 2.1 Vedic Multiplier hardware model

### A. Urdhava Line Diagram





Figure 2.2 Urdhava Line diagram

Here we can see that urdhava method done multiplication in single shift which increase the speed of processors. This algorithm is not efficient for large number because of lot of propagation delay is involved. In order to deal with this propagation delay problem Nikhilam Sutra is present which is efficient method for large number multiplications.

### B. Urdhva Tiryakbhyam In 2x2 Vedic Multiplier

The most prominently used sutras of the 16 mention sutras are Urdhva tiryakbhyam Sutra which literally means “Vertically and crosswise”. To demonstrate this multiplication scheme, let us consider the multiplication of two decimal numbers (5498 × 2314). The conventional method will require 16 multiplications and 15 additions. Multiplication using Urdhva tiryakbhyam Sutra is shown in Figure 2.3. The numbers to be multiplied are written on two consecutive sides as shown in the figure. The square is divided into rows and columns where each row/column corresponds to one of the digit of either a multiplier or a Multiplicand. Where, each digit of the multiplier has a small box common to a digit of the multiplicand. These small boxes are separated into two halves by the crosswise lines. Each digit of the multiplier is then autonomously multiplied with every digit of the multiplicand and the two-digit product is written in the common box. All the digits on a crosswise dotted line are added to the subsequent carry.

The least significant digit of the obtained number acts as the result digit and the rest as the carry for the next step. Carry for the first step (i.e., the dotted line on the extreme right side) is taken to be zero.



$$5498 \times 2314 = 12722372$$

Figure 2.3 Multiplication by Urdhva tiryakbhyam Sutra

### C. Mathematical Background Of “Urdhva-Tiryakbhyam” Sutra

Assume that X and Y are two numbers, to be multiplied. Mathematically X and Y can be represented in the equation (1) and (2) as:

$$A = \sum_{i=0}^{N-1} A_i 10^i \quad (1)$$

$$B = \sum_{j=0}^{N-1} B_j 10^j \quad (2)$$

Assume that, their product is equal to Z. Then Z can be represented as:

$$Z = \sum_{i=0}^{N-1} \sum_{j=0}^{N-1} A_i B_j 10^{i+j} \quad (3)$$

Where  $(A_i, B_j) \in (0,1,2,\dots,9)$  and ‘N’ may be any number.

From the above equation (3), it can be observed that each digit is multiplied consecutively and shifted towards the proper positions for partial product generation. Finally the partial products are added with the previous carry to produce the final results.

The design starts first with Multiplier design that is 2x2 bit multiplier as shown in figure 3.4.




Figure 2.4 Hardware Realization of 2x2 blocks

Here, “Urdhva Tiryakbhyam Sutra” or “Vertically and Crosswise Algorithm” for multiplication has been effectively used to develop digital multiplier architecture. This algorithm is quite different from the traditional method of multiplication, which is to add and shift the partial products. To scale the multiplier further, Karatsuba – Ofman algorithm can be employed. Karatsuba-Ofman algorithm is considered as one of the fastest ways to multiply long integers. It is based on the divide and conquers strategy.

### D. 4x4 Vedic Multiplier

Integrating Vedic mathematics for the multiplier design will enhance the speed of multiplication operation.

The multiplier architecture is based on Urdhva Tiryagbhyam (vertical and cross-wise algorithm) sutra. An illustration of Urdhva Tiryagbhyam sutra is shown in Figure 2.5.




Figure 2.5 Illustration of Urdhva Tiryagbhyam sutra

The 4x4 multiplication has been done in a single line in Urdhva Tiryagbhyam sutra, whereas in



shift and add (conventional) method, four partial products have to be added to get the result. Thus, by using Urdhva Tiryagbhyam Sutra in binary multiplication, the number of steps required calculating the final product will be reduced and hence there is a reduction in computational time and increase in speed of the multiplier. Consider two 4-bit binary numbers  $a_3a_2a_1a_0$  and  $b_3b_2b_1b_0$ . The partial products ( $P_7P_6P_5P_4P_3P_2P_1P_0$ ) generated are given by the following equations:

- i.  $P_0 = a_0b_0$
- ii.  $P_1 = a_0b_1 + a_1b_0$
- iii.  $P_2 = a_0b_2 + a_1b_1 + a_2b_0 + P_1$
- iv.  $P_3 = a_0b_3 + a_1b_2 + a_2b_1 + a_3b_0 + P_2$
- v.  $P_4 = a_1b_3 + a_2b_2 + a_3b_1 + P_3$
- vi.  $P_5 = a_1b_2 + a_2b_1 + P_4$
- vii.  $P_6 = a_3b_3 + P_5$
- viii.  $P_7 = \text{carry of } P_6$

#### E. Urdhva Tiryagbhyam In 4x4 Vedic Multiplier

An The “Urdhva Tiryagbhyam” Sutra is a general multiplication formula applicable to all cases of multiplication such as binary, hex, decimal and octal. The Sanskrit word “Urdhva” means “Vertically” and “Tiryagbhyam” means “crosswise”. Figure 3.6 shows an example of Urdhva Tiryagbhyam. **Algorithm:** Multiplication of 101 by 110 1. We will take the right-hand digits and multiply them together. This will give us LSB digit of the answer. 2. Multiply LSB digit of the top number by the second bit of the bottom number and the LSB of the bottom number by the second bit of the top number. Once we have those values, add them together. 3. Multiply the LSB digit of bottom number with the MSB digit of the top one, LSB digit of top number with the MSB digit of bottom and then multiply the second bit of both, and then add them all together. 4. This step is similar to the second step, just move one place to the left. We will multiply the second digit of one number by the MSB of the other number. Finally, simply multiply the LSB of both numbers together to get the final product.




Figure 2.6 Urdhva Tiryagbhyam Procedure for Multiplication

The partial products are generated parallel and concurrent additions of the partial products are done using this algorithm. Because of this the speed of the multiplier is increased considerably when compared to other techniques.

#### F. Existing 4x4 Vedic Multiplier

This (figure 3.7) is the existing 4x4 Vedic multiplier, which is having four 2x2 Vedic multiplier and three 4 bit ripple carry adder.




Figure 2.7 Existing 4x4 Vedic Multiplier



### G. 4-Bit Adder

The 4-bit adder performs the function of 4-bit addition that gives two bits of sum and one carry as output. Its block diagram contains one full adder (FA) and two half adders (HA) is given in Figure 2.8 .




Figure 2.8 4-bit adder

Here, A, B, C, D are four inputs. S0 and S1 are LSB and MSB of Sum outputs respectively and Sum is the sum of four inputs. C0 is the carry bit. To reduce the delay, a 4X4 multiplier is implemented using half adder, full adder and the 4-bit adder as shown in Figure 2.9.




Figure 2.9 4x4 multiplier using 4 - bit adder

### III. RESULTS AND DISCUSSION

The 2x2 and 4x4 multiplier is simulated using Microwind Version 3.1 and verified for possible inputs given below. The simulation result for 2x2 and 4x4 Vedic multiplier is show below.

The layout generated in Microwind for the 2x2 Vedic multiplier is shown in the Figure 3.1




Figure 3.1 The layout of 2x2 Vedic multiplier  
 The 2x2 Vedic multiplier is shown in Figure 3.2




Figure 3.2 2x2 Vedic Multiplier



The inputs of the 2x2 Vedic multiplier is  $a_0, a_1, b_0$  and  $b_1$ . The outputs are  $R_1, S_1, S_2$  and Carry. It is designed using two input AND and XOR gates.  
 If the inputs are given as  $a_0=1, a_1=0, b_0=1$  and  $b_1=1$ . Then the simulated outputs are  $R_1=1, S_1=1, S_2=0$  and  $carry=0$ .

The timing diagram of 2x2 Vedic multiplier is shown in Figure 3.3





Figure 3.3 Timing Diagram of 2x2 Vedic multiplier

If the inputs are given as  $a_0=1, a_1=0, b_0=1$  and  $b_1=1$ . Then the simulated outputs are  $R_1=1, S_1=1, S_2=0$  and  $carry=0$ .

The simulation result for power consumption is shown in Figure 3.4



The power consumption in the 2x2 Vedic multiplier is  $7.963 \mu W$ .

The layout generated in Microwind for the 4x4 Vedic multiplier is shown in the Figure 3.5




Figure 3.5 The layout of 4x4 Vedic multiplier  
 The 4x4 vedic multiplier is shown in the Figure 3.6




Figure 3.6 4x4 Vedic Multiplier

The 4x4 Vedic multiplier is designed using four 2x2 matrix along with the ripple adders. The inputs are  $a_0 a_1 a_2 a_3 = 1001$  and  $b_0 b_1 b_2 b_3 = 1000$ .

Then the simulated output results of 4x4 Vedic Multiplier is 01001000

The timing diagram of 4x4 vedic multiplier is shown in the Figure 3.7




Figure 3.7 Timing Diagram of 4x4 Vedic multiplier

The inputs are  $a_0 a_1 a_2 a_3 = 1001$  and  $b_0 b_1 b_2 b_3 = 1000$ . Then the simulated output results of 4x4 Vedic Multiplier is 01001000  
 The simulation result for power consumption is shown in Figure 3.8




Figure 3.8 Simulation result for power consumption in 4x4 Vedic multiplier

The power consumption in the 4x4 Vedic multiplier is 0.270 mW.

The 2x2 and 4x4 Vedic multiplier is designed. The Vedic Multiplier is compared with the existing

multiplier architecture in terms of delay and power consumption. The results obtained are tabulated in Table 4.1. From the Table 4.1, it is evident that there is a reduction in both delay and power consumption. The delay for the existing multiplier architecture is 5.75 ns. The power consumption for the Booth multiplier is  $324.5302\mu\text{W}$ , Wallace tree multiplier is  $655.5517\mu\text{W}$  and Dadda multiplier is  $655.8073\mu\text{W}$ . Thus, it is clear that the Vedic Multiplier is more efficient than the existing one. The Vedic Multiplier can be used to develop a high speed complex number multiplier with reduced delay and power consumption.

Table 3.1 Comparison between existing multiplier architectures and Vedic multipliers

	Existing Multiplier Architectures	Vedic Multipliers
Delay (ns)	5.75	4.111
Power Consumption [14]	Booth = $324.5302\mu\text{W}$ Wallace tree = $655.5517\mu\text{W}$ Dadda multiplier = $655.8073\mu\text{W}$	0.270 mW

#### IV. CONCLUSION

This project presents a novel way of realizing a high speed multiplier using Urdhva Tiryagbhyam sutra. The designs of 2x2 and 4x4 bits Vedic multiplier have been implemented using Microwind Version 3.1. The design is based on Vedic method of multiplication. A 4-bit modified multiplier is designed by using the 4 bit adder. The Vedic multipliers gives a total delay of 4.111 ns which is less when compared to the total delay of existing multiplier architecture. The power consumption of the Vedic multiplier is  $270\mu\text{W}$  which is very less when compared to the existing Multiplier architectures. Results also indicate a 13.19% increase in the speed when compared to the existing multiplier architectures. It is therefore seen that the Vedic multipliers are much more faster than the conventional multipliers. This gives us method for hierarchical multiplier design. So the design complexity gets reduced for inputs of large no of bits and modularity gets increased. Urdhva tiryakbhyam algorithm reduce the delay, power and hardware requirements for multiplication of numbers. The high speed multiplier algorithm exhibits improved efficiency



in terms of speed. Our design is more preferable over all other designs.

#### FUTURE WORK

Implementation of FIR based adder in 8x8, 16x16 and 32x32 multipliers.

#### REFERENCES

- [1]. Zafar, M. D. (2013). Review Paper on High Speed Karatsuba Multiplier and Vedic Mathematics Techniques. International Journal of Advanced Research in Computer Science and Software Engineering , ISSN: 2277 128X, Vol. 3, Issue 12, p.p 1097-1101.
- [2]. Hegadi, V. G. (2012). Design and Development of 8-Bits Fast Multiplier for Low. IACSIT International Journal of Engineering and Technology , Vol. 4, No. 6, pp. 774-780.
- [3]. Debasish Subudhi A, K. C. (2014). Design and Implementation of High Speed 4x4 Vedic Multiplier. International Journal of Advanced Research in Computer Science and Software Engineering , ISSN: 2277 128X, Vol. 4, Issue 11, p.p 362-366.
- [4]. Charishma V, G. K. (2012). Design of High Speed Vedic Multiplier using Vedic Mathematics Technique. International Journal of Scientific and Research Publications , ISSN: 2250-3153, Vol. 2, Issue 3, p.p 1-5.



**K.R.PRIYA DHARSHINI** received his B.E bachelor degree in ECE from Erode sengunanthur Engineering College under Anna University, Coimbatore in 2014. Currently he is pursuing M.E in VLSI Design from Jansons Institute of technology His areas of interest in research are VLSI and embedded systems



**S. SARAVANAN** received his B.E bachelor degree in ECE from Bannari Amman Institute of Technology under Anna University, Chennai and received his master's degree M.E in VLSI Design from Anna University Regional centre, Coimbatore. He is working as Assistant Professor in Department of ECE, Jansons Institute of Technology. His areas of interest are VLSI and embedded Systems.



**S.VISHNUKUMAR** received his B.E bachelor degree in ECE from Jansons Institute of Technology under Anna University, Chennai in 2014. Currently he is pursuing M.E in VLSI Design from Jansons Institute of Technology under Anna University, Chennai. His areas of interest in research are VLSI and embedded systems.